

Burmatex®

MANUFACTURERS OF CREATIVE FLOORING 



Product Catalogue

carpet tiles, planks & sheet



carbon neutral & low carbon

surface story® oracle

Product Catalogue

Burmatex® offers an expansive product range; our traditional fibre bonded sheet and tile ranges include entrance products and ground-breaking structure bonded ranges, which present an expansive colour palette.

Our multilevel loop, low level loop, textured loop and cut pile tufted carpet tile ranges, including a specialist entrance barrier product, are inspired by the latest and predicted future design and colour trends.



Sustainability Principles

Burmatex® is committed to best environmental practice in our manufacturing, from the sourcing of raw materials, including recycled content, minimising emission of CO₂ and reprocessing waste, use of green electricity and recycled packaging.

Our products are EPD verified by an independent third-party verification of the declaration and data, according to ISO 14025:2006.

eco₂matters®

surface story®

carbon neutral multilevel loop carpet tiles

Inspired by the attraction of opposites, **surface story®** merges sharp lines with blurred edges to create a distinct design. Where the interplay of geometric patterns and graduated textures defines its signature aesthetic style.

Yarn Description:

 carbon negative recycled yarn

Carbon Status:

 carbon neutral
Offset at source and independently 3rd party verified. Details available upon request.

Backing:

 BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 **independently
3rd party verified** 3.71
According to EN 15804

Pile Weight: 825g/m²

Wear Classification: Achieves Class 33

Luxury Class Rating: LC1

Flammability: Euroclass Bfl-s1

Castor Chair Rating: Pass - continuous use


Low VOCs: A+ / M1

Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:

 72.7%
BS EN ISO 14021



arctic[®]

carbon neutral multilevel loop carpet tiles & planks

Inspired by the changing landscape of the Arctic region. Organic lines cutting through icy rock, cold water flowing down frozen mountains and glacial river rapids inspire the movement in the design.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:



carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase[®]
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



3.22
According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

624g/m²

Achieves Class 33

LC1

Euroclass Bfl-s1

Pass - continuous use

A+ / M1

Yarn Certification:



Over 50% of components have recieved a
C2C Certified Material Health Certificate™
at the Gold level (v4.0)

Total Recycled Content of Product:



72.0%
BS EN ISO 14021




snow fox
■ ■ 34516 ■ ■ 34616



oslo fog
■ ■ 34512 ■ ■ 34612



glacial grey
■ ■ 34504 ■ ■ 34604



norse grey
■ ■ 34503 ■ ■ 34603



seal grey
■ ■ 34510 ■ ■ 34610



blue water
■ ■ 34505 ■ ■ 34605



cool storm
■ ■ 34502 ■ ■ 34602



dark horizon
■ ■ 34513 ■ ■ 34613




first light
■ ■ 34514 ■ ■ 34614



hail stone
■ ■ 34511 ■ ■ 34611



drift wood
■ ■ 34517 ■ ■ 34617



malmo coast
■ ■ 34515 ■ ■ 34615



surface trace[®]

carbon neutral multilevel loop carpet tiles

surface trace[®] delves into our traditional roots and reflects the tactile craft of weaving.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:



carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase[®]
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified
3.71
According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

825g/m²

Achieves Class 33

LC1

Euroclass Bfl-s1

Pass - continuous use

A+ / M1

Yarn Certification:






C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:



72.7%
BS EN ISO 14021

 mill 36601	 knotted 36604	 unfold 36607	 pin 36605	 frame 36606	 tweed 36608	 weave 36603	 entwine 36609
 mesh 36610	 loom 36602	 aspect 36611	 echo 36612				



rocklines®

carbon neutral multilevel loop carpet tiles

Inspired by the markings seen in rockfaces, mountains and various terrains. An opulent and delicate design, available in 16 colours, influenced by weathered coastlines and geological diversities.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:



carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified
3.38
According to EN 15804

Pile Weight: 635g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC1
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:




C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:



72.1%
BS EN ISO 14021



threads[®]

low carbon multilevel loop carpet tiles

Inspired by connecting strands of colour, tones and design creating an overall pattern suitable for a broad range of interiors.

Yarn Description:

 bio-genic
recycled yarn

Carbon Status:

 low carbon

Backing:

 BioBase[®]
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 **3.90**
According to EN 15804

Pile Weight: 622g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC1
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products

Total Recycled Content of Product:

 73.6%
BS EN ISO 14021



base mix
36012



base blend
36008



connect core
36002



shadow blend
36006



base pigment
36004




base pastel
36005



harmony stitch
36001



pigment tide
36003



base yellow
36007



twine mix
36009



rust mix
36011



craft mix
36010

standing stones®

carbon neutral multilevel loop carpet tiles

Inspired by uncovered architectural clues from history, in an accessible colour palette of 16, making it suitable for functional and commercial interiors.

Yarn Description:

 carbon negative recycled yarn

Carbon Status:

 carbon neutral
Offset at source and independently 3rd party verified. Details available upon request.

Backing:

 BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 3.32
According to EN 15804

Pile Weight: 606g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC1
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:

 72.2%
BS EN ISO 14021



standing stones® neutral ground, stone circle & mystic pink

snowfall®

carbon neutral multilevel loop carpet tiles

An effortless design inspired by undulating patterns of snow and the shadows created, making it a great choice for a variety of interiors.

Yarn Description:



carbon negative recycled yarn

Carbon Status:



carbon neutral

Offset at source and independently 3rd party verified. Details available upon request.

Backing:



BioBase®

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently 3rd party verified

3.39

According to EN 15804

Pile Weight:

670g/m²

Wear Classification:

Achieves Class 33

Luxury Class Rating:

LC2

Flammability:

Euroclass Bfl-s1

Castor Chair Rating:

Pass - continuous use

Low VOCs:

A+ / M1

Yarn Certification:



C2C Certified Material


Health Certificate™ Silver

Total Recycled Content of Product:



72.2%

BS EN ISO 14021



snowfall® soft surface & peach frost



balance grid[®]

carbon neutral multilevel loop carpet tiles

Inspired by the pattern of intersecting city streets, **balance grid[®]** works alone or paired with the other two designs in the **balance collection[®]**.

Yarn Description:

 carbon negative
recycled yarn

Carbon Status:

 carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:

 BioBase[®]
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 independently
3rd party verified 3.19
According to EN 15804


Pile Weight: 628g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC2
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:


 C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:

 73.6%
BS EN ISO 14021




crisp air
35405



steel effect
35406



morning harbour
35407



tower metal
35408



light neutral
35401




concrete wood
35402



glazed tone
35403



brown leaf
35404



highline moss
35413



dusk glow
35414




apricot beam
35415



district red
35416



aqua skyline
35409



block blue
35410



lilac view
35411



dark shadow
35412



balance grid[®] lilac view, crisp air, aqua skyline & block blue

balance ratio[®]

carbon neutral multilevel loop carpet tiles

EN
Embodies the soft and organic flow of natural elements. **balance ratio[®]** works alone or paired with the other two designs in the **balance collection[®]**.

Yarn Description:
 carbon negative recycled yarn

Carbon Status:
 carbon neutral
Offset at source and independently 3rd party verified. Details available upon request.









Backing:
 **BioBase[®]**
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:
 **independently 3rd party verified** **3.19**
According to EN 15804

Pile Weight: 628g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC2
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:
 C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:
 **73.6%**
BS EN ISO 14021

							
clean air 35505	stone effect 35506	dewy harbour 35507	city metal 35508	soft neutral 35501	shaded wood 35502	golden tone 35503	fallen leaf 35504
							
greenery moss 35513	dawn glow 35514	apricot mural 35515	vibrant red 35516	aqua vapour 35509	reflection blue 35510	lilac rush 35511	night shadow 35512



balance ratio[®] dewy harbour, aqua vapour & greenery moss

balance scale®

carbon neutral multilevel loop carpet tiles

Reflects tactile markings in man made materials and nature. **balance scale®** works alone or paired with the other two designs in the **balance collection®**.

Yarn Description:

 carbon negative recycled yarn

Carbon Status:

 carbon neutral
Offset at source and independently 3rd party verified. Details available upon request.

Backing:

 BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 independently 3rd party verified 3.19
According to EN 15804

Pile Weight: 628g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC2
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:

 73.6%
BS EN ISO 14021



balance scale® smoky wood & apricot shine

alaska[®]

low carbon multilevel loop carpet tiles

A timeless and tactile design, inspired by the natural textures found in the Alaskan landscape. The expansive biophilic palette and luxurious rippled effect is an ideal choice for commercial interiors.

Yarn Description:



100% Econyl[®]

regenerated recyclable yarn

Carbon Status:



low carbon

Backing:



BioBase[®]

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified

3.42

According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

800g/m²

Achieves Class 33

LC2

Euroclass Bfl-s1

Pass - continuous use

A+ / M1

On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:



74.7%


BS EN ISO 14021



ice
22201



ridge
22202



north
22204



moose
22205



antler
22213



husky
22209



wolf
22210



cabin
22214



maple
22215



amber
22216



wildflower
22217



alpine
22218



rapids
22219



lagoon
22220



lake
22208



creek
22207

alaska[®] rapids, alpine, lagoon, wildflower & amber



osaka®

carbon neutral multilevel loop carpet tiles

Inspired by an incredibly vibrant, futuristic, and traditional part of the world, Japan. The contrasts found in Japan inspire the range; new and old, warm and cool, urban and natural.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:



carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified
3.55
According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

695g/m²

Achieves Class 33

LC2

Euroclass Bfl-s1

Pass - continuous use

A+ / M1

Yarn Certification:




C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:



72.3%
BS EN ISO 14021



origin

low carbon cut pile carpet tiles

The commercial colour palette of 10 is sophisticated and refined, inspired by coastal walks and views.

Yarn Description:



100% Econyl®

regenerated recyclable yarn

Backing:



BioBase®

Recycled content BS EN ISO 14021

On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Carbon Status:



low carbon

Global Warming Potential / kg CO₂ eq:



4.66


According to EN 15804

Total Recycled Content of Product:



77.4%


BS EN ISO 14021



cloud
33201




pearl
33202



pebble
33203




shale
33204



mussle
33205



gull
33206



gorse
33207



surf
33208



wave
33209



heather
33210



tivoli®

low carbon low level loop carpet tiles & planks

Comprised of tivoli® and tivoli® multiline the options for floor design are endless. With a coordinated colour palette of 40 and Class 33, this enduring collection is suitable for use in a wide variety of commercial interiors.

Yarn Description:



bio-genic recycled yarn

Backing:



BioBase®

Recycled content BS EN ISO 14021

Carbon Status:



low carbon

Global Warming Potential / kg CO₂ eq:



3.10

According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

600g/m²

Achieves Class 33

LC2

Euroclass Bfl-s1

Pass - continuous use

A+ / M1

On Site Energy Generation:



100% renewable energy














used to create all Burmatex products

Total Recycled Content of Product:



74.0%

BS EN ISO 14021

tivoli® 32 options										tivoli® multiline 8 options									
																			
dominica dawn ■ 20245 ■ 21145	antigua steel ■ 20242 ■ 21142	belize greige ■ 20208 ■ 21108	serranilla stone 20213	st lucia night ■ 20207 ■ 21107	aruba dusk ■ 20275 ■ 21175	st kitts basalt ■ 20260 ■ 21160	montserrat black 20259	tenerife black ■ 20707 ■ 21207	melanesia grey ■ 20703 ■ 21203										
																			
kythira blue 20265	barbados blue ■ 20220 ■ 21120	naxos breeze 20263	baltic blue 20281	nassau skies 20252	crete blue 20262	hudson bay ■ 20285 ■ 21185	key west blue ■ 20253 ■ 21153	mediterranean topaz ■ 20709 ■ 21209	great barrier blue ■ 20717 ■ 21217										
																			
greenland fern 20282	guyana moss ■ 20201 ■ 21101	tiki yellow ■ 20266 ■ 21166	miami aqua ■ 20267 ■ 21167	sri lanka sands ■ 20268 ■ 21168	bengal base 20283	tasmanian rock 20284	tobago sands 20246	seychelles beige ■ 20711 ■ 21211	palm green 20715										
																			
tropic purple ■ 20276 ■ 21176	pink paradise ■ 20277 ■ 21177	puerto rico purple 20254	pinta purple 20270	capetown clay 20278	madagascar orange ■ 20279 ■ 21179	cuban brown 20280	rio red 20273	volcanic flame 20716	hawaiian purple 20714										



tivoli® baltic blue & hudson bay

tivoli mist[®]

low carbon low level loop carpet tiles & planks

With a design allowing for soft transitions between colours or a sleek allover pattern that mists from one to another. The colour palette of 10 provides endless possibilities for adding colour into a wide variety of interiors.

Yarn Description:



bio-genic recycled yarn

Carbon Status:



low carbon

Backing:



BioBase[®]

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



3.10

According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

600g/m²

Achieves Class 33

LC2

Euroclass Bfl-s1

Pass - continuous use

A+ / M1

On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:



74.0%

BS EN ISO 14021



tivoli mist[®] polar drift, sunset canyon & hibiscus haven

tivoli[®] dominica dawn, madagascan orange & pink paradise

infinity®

low carbon low level loop carpet tiles

Visual inspiration from rocks, gemstones, coastlines, and minerals help to create the individual aspect of this heavy commercial range. This specific characteristic of the tile provides excellent soil hiding properties.

Yarn Description:

100% Econyl®
regenerated recyclable yarn

Backing:

BioBase®
Recycled content BS EN ISO 14021

On Site Energy Generation:

100% renewable energy
used to create all Burmatex products

Carbon Status:





low carbon

Global Warming Potential / kg CO₂ eq:

Independently
3rd party verified3.16
According to EN 15804

Total Recycled Content of Product:

73.7%
BS EN ISO 14021

							
ice mineral 34705	slate grey 34701	silver salt 34702	stone shadow 34703	sqartz sand 34706	gravel greige 34704	sepia fusion 34707	bronze brown 34705
							
ultra yellow 34713	jade layer 34714	cold cove 34712	cyan flux 34708	base blue 34709	navy element 34710	purple prism 34716	cherry shade 34715

Pile Weight:	550g/m ²
Wear Classification:	Achieves Class 33
Luxury Class Rating:	LC1
Flammability:	Euroclass Bfl-s1
Castor Chair Rating:	Pass - continuous use
Low VOCs:	A+ / M1



infinity® slate grey with additional colours

go to[®]

low carbon low level loop carpet tiles

go to[®] offers two designs, sixteen plains and four stripe options. The range of colours has been increased to create this attractively practical, versatile and flexible palette.

Yarn Description:

 EgoCycle[®] 75 recycled yarn

Carbon Status:

 low carbon

Backing:

 BioBase[®]
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 4.26
According to EN 15804

Pile Weight: 500g/m²

Wear Classification: Achieves Class 33

Luxury Class Rating: LC1

Flammability: Euroclass Bfl-s1

Castor Chair Rating: Pass - continuous use



Low VOCs: A+ / M1

On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products

Total Recycled Content of Product:

 70.0%
BS EN ISO 14021

							
jet black 21801	coal grey 21802	metal grey 21816	medium grey 21803	light grey 21817	sky blue 21810	sea blue 21806	deep blue 21822
							
moss green 21818	green 21811	purple 21821	red 21820	orange 21819	dark beige 21815	medium beige 21814	light beige 21813

go to[®]

four stripe options:

			
coal grey stripe 21902	medium grey stripe 21903	dark beige stripe 21915	sea blue stripe 21906



go to[®] light beige & dark beige stripe

eco-cordiale®

carbon neutral fibre bonded carpet tiles

eco-cordiale® combines extreme durability with excellent sustainability credentials to make it the ideal choice for use in environments such as schools, colleges, and universities. Featuring an extended 44 colour palette, **eco-cordiale®** is available in both fine ribbed carpet tile and sheet, is easy to maintain and features **anti-fray** and **anti-ravel** technology.

Yarn Description:

ecofibre™
15% Regenerated Nylon, 5% Recycled Polyester

Carbon Status:

 **carbon neutral**
Offset at source and independently 3rd party verified. Details available upon request.

Technology:

 **BioBase®**
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 **3.78**
According to EN 15804




Pile Weight: 950g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Total Recycled Content of Product:

 **63.0%**
BS EN ISO 14021

								
diamond 12105	storm 12104	sky 12181	stones 12191	sagebrush 12171	sun 12188	mauve 12175	lavender 12113	aqua 12182
								
silver 12160	horizon 12119	sapphire 12162	honey 12134	fern 12172	saffron 12167	pink 12186	lilac 12174	peacock 12173
								
clouds 12103	denim 12117	atlantis 12114	sand 12178	lime 12130	tangerine 12168	rose 12176	indigo 12180	jade 12123
								
charcoal 12102	ocean 12161	ultramarine 12163	earth 12165	emerald 12183	crimson 12169	orchid 12177	violet 12184	turquoise 12122
								
ebony 12101	ink 12107	midnight 12164	electric 12166	sea 12125	paprika 12185	cherry 12170	brown 12131	



eco-cordiale® clouds, atlantis, sky, ink

academy[®]

low carbon fibre bonded carpet tiles

The extremely durable broad ribbed carpet, available in tile or sheet making it easy to maintain, and features anti-fray and anti-ravel technology. The palette of 24 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

Technology:

 anti-fray & anti-ravel

Carbon Status:

 low carbon

Backing:

 **BioBase[®]**
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 **4.45**
According to EN 15804

Pile Weight:

Wear Classification:

Flammability:

Castor Chair Rating:

Low VOCs:

940g/m²

Heavy Contract

Euroclass Bfl-s1

Pass - continuous use






A+

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Total Recycled Content of Product:

 **59.2%**
BS EN ISO 14021

									
diamond grey 11805	grey cloud 11803	charcoal grey 11802	ebony slate 11801	storm grey 11804	honey beige 11834	sandy beige 11878	earth brown 11865	saffron yellow 11867	tangerine orange 11868
									
horizon blue 11819	denim blue 11817	ink blue 11807	midnight sky 11864	atlantis bule 11814	sapphire blue 11862	turquoise blue 11822	sage green 11871	lime green 11830	emerald green 11883
									
lilac iris 11874	dark violet 11884	purple orchid 11877	cherry red 11870						



academy[®] diamond grey, lime green, emerald green, atlantis blue

velour excel

low carbon fibre bonded carpet tiles

velour excel presents a luxurious, velour carpet tile suitable for use within the heavy contract market. The premium blend of solution dyed fibres ensures velour excel is ideal for use in both commercial and public buildings.

Pile Weight:	1200g/m²
Wear Classification:	Heavy Contract
Flammability:	Euroclass Bfl-s1
Castor Chair Rating:	Pass - continuous use
Low VOCs:	A+

Technology:

 withstands heavy foot trafic

Backing:

 BioBase®
Recycled content BS EN ISO 14021

On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products

Carbon Status:




 low carbon

Global Warming Potential / kg CO₂ eq:

 5.04
According to EN 15804

Total Recycled Content of Product:

 51.9%
BS EN ISO 14021

					
bavarian blue 6081	barona blue 6060	iceni blue 6023	saxon blue 6028	spartan mauve 6056	sky dancer 6061
					
mayan sky 6082	trojan green 6045	norse green 6083	phoenician green 6036	dorian azure 6055	assyrian jade 6022
					
red lake 6062	persian purple 6090	navajo mauve 6066	norman steel 6050	armenian grey 6040	yakama slate 6070



eco-cordiale®

carbon neutral fibre bonded carpet sheet

eco-cordiale® combines extreme durability with excellent sustainability credentials to make it the ideal choice for use in environments such as schools, colleges, and universities. Featuring an extended 44 colour palette, eco-cordiale® is available in both fine ribbed carpet tile and sheet, is easy to maintain and features anti-fray and anti-ravel technology.

Yarn Description:

ecofibre™
15% Regenerated Nylon, 5% Recycled Polyester

Carbon Status:

 **carbon neutral**
Offset at source and independently 3rd party verified. Details available upon request.

Technology:

 anti-fray & anti-ravel

Global Warming Potential / kg CO₂ eq:

 **independently 3rd party verified** **2.92**
According to EN 15804




Total Weight: 950g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Total Recycled Content of Product:

 **18.3%**
BS EN ISO 14021

								
diamond 12005	storm 12004	sky 12081	stones 12091	sagebrush 12071	sun 12088	mauve 12075	lavender 12013	aqua 12082
								
silver 12060	horizon 12019	sapphire 12062	honey 12034	fern 12072	saffron 12067	pink 12086	lilac 12074	peacock 12073
								
clouds 12003	denim 12017	atlantis 12014	sand 12078	lime 12030	tangerine 12068	rose 12076	indigo 12080	jade 12023
								
charcoal 12002	ocean 12061	ultramarine 12063	earth 12065	emerald 12083	crimson 12069	orchid 12077	violet 12084	turquoise 12022
								
ebony 12001	ink 12007	midnight 12064	electric 12066	sea 12025	paprika 12085	cherry 12070	brown 12031	



academy[®]

low carbon fibre bonded carpet sheet

The extremely durable broad ribbed carpet, available in tile or sheet making it easy to maintain, and features anti-fray and anti-ravel technology. The palette of 24 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

Technology:

anti-fray & anti-ravel

Carbon Status:

low carbon

Technology:

withstands heavy foot trafic

Global Warming Potential / kg CO₂ eq:

independently
3rd party verified

3.26
According to EN 15804

Total Weight:

940g/m²

Wear Classification:

Heavy Contract

Flammability:

Euroclass Bfl-s1

Castor Chair Rating:

Pass - continuous use

Low VOCs:










A+

On Site Energy Generation:

100% renewable energy
used to create all Burmatex products

Total Recycled Content of Product:

3.7%
BS EN ISO 14021

									
diamond grey 11505	grey cloud 11503	charcoal grey 11502	ebony slate 11501	storm grey 11504	honey beige 11534	sandy beige 11578	earth brown 11565	saffron yellow 11567	tangerine orange 11568
									
horizon blue 11519	denim blue 11517	ink blue 11507	midnight sky 11564	atlantis bule 11514	sapphire blue 11562	turquoise blue 11522	sage green 11571	lime green 11530	emerald green 11583
									
lilac iris 11574	dark violet 11584	purple orchid 11577	cherry red 11570						



5500 luxury

low carbon fibre bonded carpet sheet

5500 luxury is constructed from a high performance mix of solution dyed fibres. With a soft, velour effect this fibre bonded sheet carpet is ideal for commercial interiors requiring heavy footfall solutions.

Technology:

 withstands heavy foot traffic

Carbon Status:

 low carbon

Global Warming Potential / kg CO₂ eq:

 **4.85**
According to EN 15804


Total Weight: 1150g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Dfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Total Recycled Content of Product:

 **10.0%**
BS EN ISO 14021

					
bavarian blue 0981	barona blue 0960	iceni blue 0923	saxon blue 0928	spartan mauve 0956	sky dancer 0961
					
mayan sky 0982	trojan green 0945	norse green 0983	phoenician green 0936	dorian azure 0955	assyrian jade 0922
					
red lake 0962	persian purple 0990	navajo mauve 0966	norman steel 0950	armenian grey 0940	yakama slate 0970



armour

low carbon performance barrier carpet tiles

armour uses the latest yarn technology to maximise moisture absorption, actively scrape away dirt, and provide heavy duty performance.

Yarn Description:



100% regenerated
recyclable nylon

Carbon Status:



low carbon

Backing:



BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified

4.01

According to EN 15804

Pile Weight:

920g/m²

Wear Classification:

Achieves Class 33

Luxury Class Rating:

LC3

Flammability:

Euroclass Bfl-s1

Castor Chair Rating:

Pass - continuous use

Low VOCs:

A+ / M1

On Site Energy Generation:



100% renewable energy
used to create all Burmatex products

Total Recycled Content of Product:



75.4%
BS EN ISO 14021



titanium ore
36301




leaden grey
36306



silver nickel
36302



tungsten stone
36307



black magnet
36303



onyx shield
36304



saltwater blue
36309



coastline azure
36310



cactus thorn
36312



bamboo wood
36305



burn terracotta
36308



ruby ground
36311



armour silver nickel

entrance matting

low carbon carpet tiles

This hardwearing fibre bonded carpet tile is suitable for high footfall entrances which lead directly from outside environments.

Technology:

 protects interior flooring finishes

Backing:

 **BioBase®**
Recycled content BS EN ISO 14021

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Carbon Status:

 low carbon

Global Warming Potential / kg CO₂ eq:


 **Independently 3rd party verified** **4.98**
According to EN 15804

Total Recycled Content of Product:


 **43.2%**
BS EN ISO 14021

chevrolay 50


low carbon entrance matting carpet tiles




alpha grey
6240




beta blue
6228



gamma green
6236



kappa fawn
6246




theta brown
6239

grimebuster 50


low carbon entrance matting carpet tiles




newmarket grey
1640




haydock blue
1628




curragh green
1636



wincanton fawn
1646



ascot black
1647



goodwood brown
1639

Pile Weight: 1490g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1



grimebuster 50 newmarket grey

entrance matting

low carbon carpet sheet

This extremely durable fibre bonded carpet sheet is able to withstand heavy foot traffic as well as creating an effective barrier against dirt and wear.

Technology:

 protects interior flooring finishes

Suitable For:

 withstands heavy foot trafic

On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products

Carbon Status:

 low carbon

Global Warming Potential / kg CO₂ eq:

 **Independently
3rd party verified** 4.52
According to EN 15804


Total Recycled Content of Product:


 0%
BS EN ISO 14021


7800 chevrolay


low carbon entrance matting carpet sheet


charcoal
7840


blue
7828


green
7836


fawn
7846



brown
7839

7700 grimebuster


low carbon entrance matting carpet sheet


grey
1440


blue
1428


green
1436


fawn
1446


brown
1439

7700 grimebuster grey

technical specification

Product Type	Name	Number of Colours	Carbon Status	Yarn Description	Pile Weight g/m²	Total Weight gms	Pile Height mm	Tufts per m²	Backing	Wear Classification	Reduction in Impact Noise	Flammability	Castor Chair Rating	Body Voltage Test	Colour Fastness To Light
Multilevel Loop	surface story®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	825	4185	7.5	226771	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	arctic®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	624	4024	4.5	226771	BioBase®	Class 33	26dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	surface trace®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	825	4185	7.5	226771	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	rocklines®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	635	4032	7	226771	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	threads®	12	Low carbon	EgoBalance® 100% recycled bio-genic yarn	622	4022	7	226771	BioBase®	Class 33	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	standing stones®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	606	4100	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	snowfall®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	670	4040	4.5	226771	BioBase®	Class 33	25dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance grid®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance ratio®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance scale®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	alaska®	16	Low carbon	100% Econyl regenerated recycled solution dyed nylon	800	4200	5	226771	BioBase®	Class 33	22dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	osaka®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	695	4100	5	226771	BioBase®	Class 33	28dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	dapple®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	678	4100	5.2	236220	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Cut Pile	origin	10	Low carbon	100% Econyl regenerated recycled solution dyed nylon	1300	4550	7	165354	BioBase®	Class 33	28dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	tivoli®	40	Low carbon	EgoBalance® 100% recycled bio-genic yarn	600	4050	4	196500	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	tivoli mist®	10	Low carbon	EgoBalance® 100% recycled bio-genic yarn	600	4050	4	196500	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	infinity®	16	Low carbon	100% Econyl regenerated recycled solution dyed nylon	550	4000	4	177165	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	go to®	20	Low carbon	EgoCycle® 75 recycled solution dyed nylon	500	3810	3	196850	BioBase®	Class 33	20dB	Bfl-s1	Pass	<2kV	Minimum Grade 6

* Made from Universal Fibers® Thrive® matter yarn, the world's first carbon negative recycled yarn, and our unique BioBase® recycled backing

technical specification

Product Type	Name	Number of Colours	Carbon Status	Yarn Description	Pile Weight g/m²	Total Weight gms	Pile Height mm	Tufts per m²	Backing	Wear Classification	Reduction in Impact Noise	Flammability	Castor Chair Rating	Body Voltage Test	Colour Fastness To Light
Fibre Bonded Tile	eco-cordiale	44	Carbon neutral	75% Polypropylene 15% Regenerated Nylon 10% Recycled Polyester	-	4200	6	-	BioBase®	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 9
Fibre Bonded Tile	academy®	24	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	4050	5.5	-	BioBase®	Heavy Contract	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 10
Fibre Bonded Tile	velour excel	18	Low carbon	85% Polypropylene 15% Nylon	-	4090	8	-	BioBase®	Heavy Contract	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 11
Fibre Bonded Sheet	eco-cordiale sheet	44	Carbon neutral	75% Polypropylene 15% Regenerated Nylon 10% Recycled Polyester	-	950	6	-	-	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Fibre Bonded Sheet	academy® sheet	24	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	940	5.5	-	-	Heavy Contract	19dB	Bfl-s1	Pass	<2kV	Minimum Grade 7
Fibre Bonded Sheet	5500 luxury	18	Low carbon	85% Polypropylene 15% Nylon	-	1150	8	-	-	Heavy Contract	21dB	Dfl-s1	Pass	<2kV	Minimum Grade 8
Performance Barrier	armour	12	Low carbon	100% Econyl® regenerated solution dyed nylon	920	4500	7.5	110236	BioBase®	Class 33	-	Bfl-s1	Pass	<2kV	Minimum Grade 6
Entrance Matting Tile	chevolay 50	5	Low carbon	100% Polypropylene	-	4300	10	-	BioBase®	Heavy Contract	Not tested	Bfl-s1	Pass	<2kV	Minimum Grade 16
Entrance Matting Tile	grimebuster 50	5	Low carbon	100% Polypropylene	-	4300	10	-	BioBase®	Heavy Contract	Not tested	Bfl-s1	Pass	<2kV	Minimum Grade 17
Entrance Matting Sheet	7800 chevrolay	5	Low carbon	100% Polypropylene	-	1490	10	-	-	Heavy Contract	Not tested	Dfl-s1	Pass	<2kV	Minimum Grade 15
Entrance Matting Sheet	7700 grimebuster	5	Low carbon	100% Polypropylene	-	1490	10	-	-	Heavy Contract	Not tested	Dfl-s1	Pass	<2kV	Minimum Grade 14

Head Office

Victoria Mills, The Green
Ossett
West Yorkshire
WF5 0AN
United Kingdom

Tel: +44 (0) 1924 262525
Email: projects@burmatex.co.uk

Polish Office

Warsaw Hub Business Centre
Rondo Daszyńskiego 2b
00-843 Warszawa
Poland

Tel: +48 22 122 84 10
Email: biuro@burmatex.pl

MENA Office

Unit 10 Goshi City Complex
Al Quoz 3,
Dubai
UAE

Tel: +971 4 880 6699
Email: uae@burmatex.co.uk

www.burmatex.co.uk

Issue: July 2026